







ESD12VLZA

Maximum Ratings

PARAMETER	SYMBOL	LIMITS	UNIT
3 HDN SXOVH ₅ SRZHW W	3 _{SN}		:
3 HDN SXOVH ₅ FXUUHQW W	3 ₃		
(6' DFFRUGLQJ WR ,(& DLU GLVFKDUJH	9 _{(6'}	"	N 9
(6' DFFRUGLQJ WR ,(& FRQWDFW GLVFKDUJH		"	
-XQFWLRQ WHPSHUDWXUH	-	7	R&
2SHUDWLQJ WHPSHUDWXUH	2 ₃	7 a	R&
6WRUDJH WHPSHUDWXUH	6 ₇ *	7 a	R&

Electrical Characteristics


PARAMETER	Symbol	UNIT	Conditions	Min	Typ	Max
5HYHUVH PD[LXP ZRUNLQJ YROWD ₅ JH		9	9			
5HYHUVH OHDNDJH FXUUHQW	5	Q\$	, 5 ₉₀ 9			
5HYHUVH EUHDNGRZQ YROWD ₅ JH	9 _{%5}		%5 P\$ 9			
)RUZDUG YROWD ₅ JH	)	9	) P\$ 9			
&ODPSLQJ ¹ YROWD ₅ JH	9 _{&/}	9	3 ₃ \$ _S W Q V			
'\QDPLF UHV ₅ LVWDQFH	5 _{<1}					
&ODPSLQJ ² YROWD ₅ JH	9 _{&/}		(6' N 9 9			9
&ODPSLQJ ³ YROWD ₅ JH	&/	9	3 ₃ \$ _S W V			9
		9	3 ₃ \$ _S W V			
-XQFWLRQ FDSDFLWDQFH	-	S)	9 9 I 0+] &			
		S)	9 9 I 0+] &			

1RWHV

7/3 SDUDPHWHUW = QV "Wœ0 " "(RH óÆÇ

v & K D U D F W H Ø \ S L V 7 D F Ø V

) L J V Z D F Y H S I H R W , (&





ESD12VLZA

Disclaimer

7KH LQIRUPDWLRQ SURYLQDWHV LQ IRXU LKHHQJH QKH BQJMLH (OHFWURQLF 7HHKQRO
ULJKW WR PDNH FKDLQH VRZLWKRXWSKRLVLRQGXFRQV RGLWSOD\HG KHUHLQ WRGLHPSLURY
RU RWKHUZZLVH

7KH SURGXFW OLVWHG KHUHLQ LV GHVLJQHG WR RQR FEHTXVLSEHZLWKRUR LGHLYLFWLWV DQG
HTXLSPHQW RU GHYLFHV ZKLFK UHTXLW KHKE DKO OXQYHVOGRQ LURHOLMVKL QDQSDQPHU DXP
PHGLFDO LQVWUXPHQW VHTWLSRQHQR UWHHURV SQXHOHD BKU QDFWHLQ FFRQWQERODHUV V
GHYLFHV <DQJMLH RU DQIRQH RQ LWVOE WK DQJ OLVEXLHLW QR UHDOQRQYEBJHV HUV
RI VDOH

7KLV SXEOLFDWLRQ SXODSHUW DGDVLQURUPDWSLSQLSGHYLRXDGGLWLRQDO LQWRUPDWLR
KWV [VZZ](#) [\DQJMLH](#) RFRPRQVXOW IRXU QHDUHVW <DQJMLH\QVFBIOHV RILFH IRU IXUW