




/LQH 8QL GLUHFWLRQDO 7UDQVLHQW 9



)HDWXUHV
6WDQG RII YROWDJH 9 0D[
7UDQVLHQW SURWHFWLRQ IRU HDFK OLQH DF
,(& (6' N9 FRQWDFW
,(& VXUJH \$ V
8OWUD ORZ FDSDFLWDQFH &- S) W\ S
/RZ OHDNDJH FXUUHQW
/RZ FODPSLQJ YROWDJH
5R+6 &RPSOLDQW


\$SSOLFDFWLRQV
&HOOXODU +DQGVHWV DQG \$FFHVVRULHV
3HUVRQDO 'LJLWDO \$VVLVWDQWV
1RWHERRNV DQG +DQGHOGV
3RUWDEOH ,QVWUXPHQWDFWLRQ
'LJLWDO &DPHUDV
3HULSKHUDOV
\$XGLR 3OD\HUV
,H\SDGV 6LGH ,H\ /&' 'LVSOD\

0HFKDQLFDO 'DWD

—À0



V'HILQLWLRQV RI HOHFWULFDO FRDUDFWHULVWLFV





(6 ' 9 ' \$

V0D[LPXP 5DWLQJV


3\$5\$0(7(5	6<0%2/	5DWLQJ	81,7
-------------	--------	--------	------



3 HDN SXOVH FXUUHQW

v & K D U D F W H Ø \ S L V F D F Ø V

) L J V Z D F Y I S I H R W , (&






(6 ' 9 ' \$

v 2XWOLQH 'LPHQVLRQV

SOD-523




FRONT VIEW

SIDE VIEW

TOP

DIMENSIONS				
DIM	INCHES		MM	
	MIN	MAX	MIN	MAX
A	0.059	0.067	1.500	1.700
B	0.043	0.051	1.100	1.300
C	0.028	0.035	0.700	0.900
D	0.010	0.014	0.250	0.350
E	0.112	0.108	0.050	0.020
F	0.008	0.008	0.000	0.000

v 6ROGHULQJ)RRWSULQW



UNIT : mm

CONSIDER THIS A PRELIMINARY DESIGN



(6 ' 9 ' \$

'LVFODLPHU

7KH LQIRUPDWLRQ SURGXFWLQJ LQ IRULVHDIHQJHQRH<BQJMLH (OHFWURQLF 7HHKQRO
ULJKW WR PDNH FKDLQHVRZLWKRXWSKRLSURGXFWV GLWSOD\HG KHUHLQ WRGLHPSURY
RU RWKHUZZLVH

7KH SURGXFW OLVWHG KHUHLQ LV GHOLDFWGRVQRF EHTXVLSHZZWKRURGLYLFHVVWIDQG