





# ESD1502ESQ

## Maximum Ratings


PARAMETER	SYMBOL	LIMITS	UNIT
3H DN SXOVH SRZHV W	3 <sub>SN</sub>		:
(6' DFFRUGLQJ WR ,(& DLU GLVFKDUJH	9(6' GLVFKDUJH	"	.9
(6' DFFRUGLQJ WR ,(& FRQWDFW		"	
-XQFWLRQ WHPSHUDWXUH	-	ā	
6WRUDJH WHPSHUDWXUH	67*	7a	






# ESD1502ESQ

## vOutline Dimensions



## vMarking Information



1 R W H



# ESD1502ESQ

## Disclaimer

7KH LQIRUPDWLRQ SGRFWRUHQW LQ IRKLVHDIHQJHQRK BQJMLH (OHFWURQLF 7HFKQRO  
ULJKW WR PDNH FKDLFHVRZLWKR XWSKRLSULFRGXKFRV/ RGLWSOD\HG KHUHLQ WURGLPVLURQ  
RU RWKHUZLVH

7KH SURGXFWOOLVGHG/KJLHG WR EH MVHGHZVNDKDXRVPBWL YJQHG IRU XVH LQ PHG  
VDYLQJ OLIHVXVWBDQJOLHRURUPDQVQH BQVLXPHVHQR UOVSREQOLEWLRW\BQWGPDPUR  
P VXFK LPSURSHU XVH RI VDOH

7KLV SXEOLFDWLRQ SVXSSFHUW DGDVLQURQJPDVLSRQLSGHYRURXVGLWLRQDO LQWRHUPDWLR  
KWW [VZ](#) [\DQJMLHRFR](#) PRQVXOW \RXU QHDUHVW <DQJMLVHM\YQVFOHV RILFH IRU IXUW