

## PNP Transistor

## Features

## Mechanical Data Package

**Terminals:**

### Marking

|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |

## Maximum Ratings

[illegible]



Electrical Characteristics

| Parameter | Symbol | Test conditions | Min | Max | Unit |
|-----------|--------|-----------------|-----|-----|------|
|           |        |                 |     |     |      |
|           |        |                 |     |     |      |
|           |        |                 |     |     |      |
|           |        |                 |     |     |      |
|           |        |                 |     |     |      |
|           |        |                 |     |     |      |
|           |        |                 |     |     |      |
|           |        |                 |     |     |      |
|           |        |                 |     |     |      |
|           |        |                 |     |     |      |


Ordering Information

| PREFERED P/N | PACKING CODE | UNIT WEIGHT(g) | MINIMUM PACKAGE(pcs) | INNER BOX QUANTITY(pcs) | OUTER CARTON QUANTITY(pcs) | DELIVERY MODE |
|--------------|--------------|----------------|----------------------|-------------------------|----------------------------|---------------|
|--------------|--------------|----------------|----------------------|-------------------------|----------------------------|---------------|




■ Characteristics


Static Characteristic




DC Current Gain





Collector-Emitter Saturation Voltage




Base-Emitter Saturation Voltage




Base-Emitter On Voltage



## SOT-23 Package Outline Dimensions



## ■SOT-23 Soldering Footprint





---

**Disclaimer**